



Chemical Compatibility Guide for: PIG® Build-A-Berm® Barrier

NOTICE:

This report is offered as a guide and was developed from information which, to the best of New Pig Corporation's knowledge, was reliable and accurate. Due to variables and conditions of application beyond New Pig Corporation's control, none of the data shown in this guide is to be construed as a guarantee, expressed, or implied. New Pig Corporation assumes no responsibility, obligation, or liability in conjunction with the use or misuse of the information.

Chemical	Rating
Aqueous Film Forming Foam (AFFF)	B
Acetic Acid (5%)	C
Acetic Acid (50%)	C
Ammonium Hydroxide	A
Ammonium Phosphate	A
Ammonium Sulfate	A
Antifreeze (Ethylene Glycol)	A
Animal Oil	T
Aqua Regia (80%)	B
ASTM Fuel A (100% iso-octane)	C
ASTM Oil #2 (Flash pt 240C)	A
ASTM Oil #3	B
Benzene	B
Calcium Chloride	A
Calcium Hydroxide	A
Chlorine (20%)	T
Clorox (Sodium Hypochlorite)	A
Corn Oil	T
Crude Oil	B
Diesel Fuel	B
Ethanol	T
Ethyl Acetate	C
Ethyl Alcohol	A
Fertilizer	T
Fuel Oil #2	A
Fuel Oil #6	A
Furfural	C
Gasoline	B
Glycerin	A
Hydraulic Fluid-Petroleum Based	A
Hydraulic Fluid-Phosphate Ester Based	C
Hydrocarbon Type II (40% Aromatic)	C
Hydrochloric Acid (20%)	B
Hydrofluoric Acid (100%)	B
Hydrofluoric Acid (50%)	A
Hydrofluosilicic Acid (30%)	A
Isopropyl Alcohol	T
Ivory Soap	A
Jet A	A

Chemical	Rating
Jet Fuel JP-4	A
Jet Fuel JP-5	A
Kerosene	A
Magnesium Chloride	A
Magnesium Hydroxide	A
Methanol	A
Methyl Alcohol	A
Methyl Ethyle Ketone	C
Mineral Spirits	T
Naphtha	B
Nitric Acid (20%)	A
Nitric Acid (50%)	B
Perchloroethylene	B
Phenol	C
Phenol Formaldehyde	X
Phosphoric Acid (50%)	B
Phosphoric Acid (100%)	C
Phthalate Plasticizer	T
Potassium Chloride	A
Potassium Sulfate	A
Raw Linseed Oil	T
SAE-30 Oil	T
Salt Water (25%)	T
Sea Water	A
Sodium Acetate	B
Sodium Bisulfite	B
Sodium Hydroxide (60%)	A
Sodium Phosphate	A
Sulfuric Acid (50%)	A
Tanic Acid (50%)	A
Toluene	C
Transformer Oil	T
Turpentine	B
Urea Formaldehyde	T
Urea Ammonium Nitrate	A
Vegetable Oil	A
Water (120F)	A
Xylene	C
Zinc Chloride	A

KEY:

- A = Fluid has little or no effect
- B = Fluid has minor to moderate effect
- C = Fluid has severe effect
- T = No data, likely to be acceptable
- X = No data, not likely to be acceptable

For additional assistance, please contact New Pig Technical Services at
1-800-HOT-HOGS® (468-4647).

100% Money-Back Guarantee

If you're not happy with a product, for any reason, we'll refund every penny of your purchase price. That means we'll refund all sales taxes, shipping costs, and any other incidentals - without tacking on a restocking fee or any other surprise charges. You get ALL your money back. Period.

One Pork Avenue, Tipton, PA 16684-0304 • 1-800-HOT HOGS® (468-4647) • Fax: 1-800-621-PIGS (7447)
Email: hothogs@newpig.com • Web: newpig.com

© New Pig Corporation. All rights reserved.