

Danger Confined Space Enter By Permit Only Sign

SGN600 Confined Space & Dangerous Area, 1 each

Don't take chances when you warn workers of confined spaces or potentially dangerous areas at your facility.

- Bright colors and easy-to-read legends help ensure safety and facility compliance
- Helps you meet 29 CFR 1910.145 by indicating specific hazards that may, without identification, lead to accidental injury or property damage
- Available in two sizes and three compositions to suit your use and budget
- Long-lasting, pre-drilled aluminum signs offer superior resistance to abrasion, chemicals, weather, splashes and washdowns
- Indoors or sheltered outdoors, pre-drilled plastic signs are an economical choice for light-duty or temporary use on flat or slightly-curved surfaces
- Indoors or out, Dura-Vinyl material provides exceptional flexibility and performance and features high-gloss film to resist UV rays, water, chemicals and abrasion
- Keep your facility looking professional while providing clear safety information



Item#	Description	Dimensions	Weight
SGN600-423-SSK	10" x 7", Self-Sticking		SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.
SGN600-423-PLS	10" x 7", Plastic		SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.

SGN600-423-ALM	10" x 7", Aluminum	SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.
----------------	--------------------	---

SGN600-130-SSK	14" x 10", Self-Sticking	SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.
----------------	--------------------------	---

SGN600-130-PLS	14" x 10", Plastic	SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.
----------------	--------------------	---

SGN600-130-ALM	14" x 10", Aluminum	SGN600-130-ALM-0.52 lbs.SGN600-130-PLS-0.3 lbs.SGN600-130-SSK-0.08 lbs.SGN600-423-ALM-0.27 lbs.SGN600-423-PLS-0.14 lbs.SGN600-423-SSK-0.04 lbs.
----------------	---------------------	---

Metric Equivalent:

Item#	Description	Dimensions	Weight
SGN600-423-SSK	10" x 7", Self-Sticking		SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64 gSGN600-423-SSK-18 g
SGN600-423-PLS	10" x 7", Plastic		SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64 gSGN600-423-SSK-18 g
SGN600-423-ALM	10" x 7", Aluminum		SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64

		gSGN600-423-SSK-18 g
SGN600-130-SSK	14" x 10", Self-Sticking	SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64 gSGN600-423-SSK-18 g
SGN600-130-PLS	14" x 10", Plastic	SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64 gSGN600-423-SSK-18 g
SGN600-130-ALM	14" x 10", Aluminum	SGN600-130-ALM-.2 kgSGN600-130-PLS-136 gSGN600-130-SSK-36 gSGN600-423-ALM-122 gSGN600-423-PLS-64 gSGN600-423-SSK-18 g

Specifications

Color	Black/Red on White
Category	Confined Space & Dangerous Area
Solution	Signs
Sold as	1 each
Weight	SGN600-130-ALM-0.52 lbs.
Weight	SGN600-130-PLS-0.3 lbs.
Weight	SGN600-130-SSK-0.08 lbs.
Weight	SGN600-423-ALM-0.27 lbs.
Weight	SGN600-423-PLS-0.14 lbs.
Weight	SGN600-423-SSK-0.04 lbs.
Composition	Aluminum, Plastic or Vinyl
UNSPSC	55121704
Pigalog® Page Number	Page 247

Metric Equivalent

Weight	SGN600-130-ALM-.2 kg
Weight	SGN600-130-PLS-136 g
Weight	SGN600-130-SSK-36 g
Weight	SGN600-423-ALM-122 g
Weight	SGN600-423-PLS-64 g
Weight	SGN600-423-SSK-18 g

Technical Information

Technical Documents

29 CFR 1910.1200

29 CFR 1910.145

29 CFR 1910.145(f)(5)

29 CFR 1910.146 (c)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com