

## Justrite® Paint & Ink Safety Cabinet



CAB280 Manual-Close Door Style, Holds 60 gal., 43" x 18" x 65"

Designed specifically for the safe storage of 1-gallon paint cans and other Class III combustibles.

- FM Approved for the storage of Class III combustibles; also meets NFPA specifications and OSHA regulations
- Fully-welded, double-wall, 18-gauge steel with 1.5" of insulating air space helps cabinet stay square
- Reduced air gaps provide excellent fire protection
- Welded-in dual vents with flame arrestors dissipate heat to prevent flashback ignition
- Built-in ground connector inhibits static buildup
- Powder-coated finish, inside and out, retains high-gloss look and resists chemicals, rust and corrosion
- Three-point stainless steel bullet latch provides fail-safe, positive door closure; stands up to high heat and harsh use
- Slip-resistant U-Loc paddle handle has a recessed design that won't catch on passing traffic
- Welded hangers interlock with shelf for maximum stability; no brackets required
- Each shelf provides 350 lb. UDL weight capacity when evenly loaded
- Haz-Alert reflective labeling is highly visible, even in low light or during a fire
- Note: Codes state that no more than 60 gallons may be Category 1, 2 or 3



Item#	Description	Dimensions	Weight
CAB280-RD-SGEX	Red, Sure-Grip EX Handle	43" W x 18" D x 65" H	345 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB280-RD-SGEX	Red, Sure-Grip EX Handle	109.2cm W x 45.7cm D x 165.1cm H	156.5 kg

### Specifications

<b>Capacity</b>	60 gal.
<b>Shelves</b>	5 - Adjustable Shelves
<b>Style</b>	Standard
<b>Use With</b>	Combustibles
<b>Dimensions</b>	43" W x 18" D x 65" H
<b>Brand</b>	Justrite
<b>Interior Dimensions</b>	39.5" W x 14.6" D x 60.5" H
<b>Locking Mechanism</b>	Keyed (2 Included); Padlockable (Padlock Not Included)
<b>Use With Flammables</b>	Yes
<b>Sold as</b>	1 each
<b>Weight</b>	345 lbs.
<b>Composition</b>	Cabinet - Steel Shelf - Galvanized Steel
<b>Door Style</b>	Manual-Close
<b>UNSPSC</b>	24112402

## Metric Equivalent

<b>Dimensions</b>	109.2cm W x 45.7cm D x 165.1cm H
<b>Weight</b>	156.5 kg

## Technical Information

### Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

### CountryShipOnly

This product can ONLY be shipped to the United States or Guam.

### StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

### Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

### CountryShipOnly

This product can ONLY be shipped to the United States or Guam.

### StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

## Technical Documents

[29 CFR 1910.106\(d\)\(3\)](#)

## Disclaimers

Intended for indoor use only.



World's best stuff for leaks, drips and spills.

**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)