



Oil-Tainer® Storage Tank

PAK2100 150 gal., 34" x 49", 1 each

Weather-resistant, lockable, double-wall tanks provide 110% secondary containment to help you meet regulations.

- Double-wall tank provides 110% secondary containment to help you meet waste oil regs
- Indoors or out, polyethylene construction resists UV rays, rust and corrosion
- Filter captures debris in drain before it can enter tank
- Level monitoring gauge lets you determine tank's content level with a glance
- Lockable opening adds security and prevents cross-contamination
- Arrives assembled and ready to use
- Translucent safety yellow tank allows for easy visual inspection
- Features quick-release 2" coupling for safer, easier drain evacuation
- Ideal for smaller garages and fleet centers



Specifications

Style	Double Wall
Color	Black/Yellow
Dimensions	ext. dia. 34" x 49" H
Storage Capacity	150 gal.
Meets UL 142 Standard	Does Not Meet UL 142 Standard
Sold as	1 each
Weight	104 lbs.
Composition	Polyethylene
Opening Dimensions	(1) 12" Fill Hole, (1) 2", & (1) .5" Openings
UNSPSC	20142901
Pigalog® Page Number	Page 316

Metric Equivalent

Dimensions	ext. dia. 86.4cm x 124.5cm H
Storage Capacity	567.8 L
Weight	47.2 kg

Technical Information

CountryShipOnly

This product can ONLY be shipped to: United States, Mexico, South Korea.

Technical Documents

Chemtainer® Products

40 CFR 112.7

40 CFR 122.26

40 CFR 264.193(c)(3)

40 CFR 279.22(a)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

Oil Storage Regulations

Be sure to check federal, state and local oil storage regulations prior to purchasing.



New Pig

World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com