

PIG® Absorbent Mat Roll with Poly Backing

MAT283 Heavyweight, 31" x 75', 1 roll

PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. Absorbs everything. Works everywhere.



- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Poly backing prevents absorbed liquids from reaching floors, counters or other surfaces
- Place over a spill with poly-back side up to suppress potentially harmful, flammable or irritating vapors
- Rolls are ideal as a work surface for repairs or maintenance - poly backing prevents grease and oil from seeping through
- Heavy-weight construction delivers greater durability and absorbency for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

| | |
|--------------------|--------------------|
| Traffic | Light Foot Traffic |
| Backing Material | Poly-Backed |
| Static-Dissipative | No |

| | |
|------------------------------------|---|
| Indoor/Outdoor | Indoor Use |
| Floating | No |
| Reusable | No |
| Wringable | Yes |
| Incinerable | Yes |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
| Fluid Absorbed | Oils, Coolants, Solvents, Water – Universal |
| Special Feature | Poly-Backing |
| Color | Gray |
| Dimensions | 31" W x 75' L |
| Mat Weight | Heavyweight |
| Recycled Content | 25% or more Recycled Content |
| Absorbency | Up to 20.5 gal. per bag |
| Absorbency per | Up to 20.5 gal. per roll |
| Brand | PIG |
| Category | PIG® Absorbent Mat |
| Core Diameter | 1.5" |
| Perforated | No |
| Sold as | 1 roll per bag |
| Weight | 19 lbs. |
| NSN (National Stock Number) | 7930-01-461-9148 |
| # per Pallet | 40 |
| Composition | Polypropylene |
| UNSPSC | 47131901 |
| UV Resistant | No |
| Pigalog® Page Number | Page 13 |

Metric Equivalent

| | |
|-----------------------|-----------------------|
| Absorbency per | Up to 77.6 L per roll |
| Absorbency | Up to 77.6 L per bag |
| Dimensions | 78.7cm W x 23m L |
| Weight | 8.6 kg |

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

[PIG® Universal Absorbents](#)

Disclaimers

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com