

PIG® Absorbent Mat Roll

MAT230 Heavyweight, 30" x 150', 1 roll

PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. Absorbs everything. Works everywhere.



- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Rolls are ideal for covering large areas and soaking up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction delivers greater durability and absorbency for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Traffic	Light Foot Traffic
Static-Dissipative	No
Indoor/Outdoor	Indoor Use
Floating	No
Perforated Pattern	10" x 15" sections
Reusable	No

Wringable	Yes
Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Coolants, Solvents, Water – Universal
Color	Gray
Dimensions	30" W x 150' L
Mat Weight	Heavyweight
Recycled Content	25% or more Recycled Content
Absorbency	Up to 40.2 gal. per bag
Absorbency per	Up to 40.2 gal. per roll
Brand	PIG
Core Diameter	1.5"
Perforated	Yes
Sold as	1 roll per bag
Weight	30 lbs.
NSN (National Stock Number)	7930-01-455-9536
# per Pallet	12
Composition	Polypropylene
UNSPSC	47131901
UV Resistant	No
Pigalog® Page Number	Page 13

Metric Equivalent

Absorbency per	Up to 152.2 L per roll
Absorbency	Up to 152.2 L per bag
Dimensions	76.2cm W x 46m L
Weight	13.6 kg

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[White paper – Slip & Fall Prevention Secrets](#)

[PIG® Universal Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

Disclaimers

[Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats](#)

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



World's best stuff for leaks, drips and spills.

One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com