

PIG® Battery Acid Spill Kit in 20-Gallon Overpack

KIT352 Battery Acid, Neutralizing Capacity Up to 12.5 gal., UN1H2/X46/S

Our strong UN Rated overpack spill kit lets you safely clean up and dispose of battery acid spills.

- Kit contents are formulated specifically for absorbing and neutralizing battery acid
- PIG HazMat Socks stop spreading spills; PIG HazMat Pads and Pillows absorb; PIG Acid Neutralizing Loose Absorbent handles remaining acid
- Includes PPE to guard against corrosive battery acid
- 20-gallon overpack salvage drum container meets DOT shipping specifications for overpacking hazardous materials
- Lightweight, polypropylene container resists chemicals and keeps contents clean and dry
- Temporary disposal bags help make cleanup easier
- Two broom holes 180-degrees opposite each other on the lid allow 100 positive leverage for easy opening and closing with a broom handle or bar
- Foot hold in the drum base allows you to hold the drum securely in position while opening or closing the lid
- Apply a tamperproof seal to alignment holes on lid and drum to ensure contents aren't disturbed
- Features enhanced lid and base design for added strength and security for stacking or if the drum is accidentally dropped
- For info on custom kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	No
Container Type	Overpack
Color	White
Dimensions	ext. dia. 23" x 19" H
Absorbency	Up to 12.5 gal.

Fluid Absorbed/Neutralized	Battery Acid
High Visibility	No
Neutralizing Capacity	Up to 12.5 gal.
See-Through	No
Type of Battery	Lead-Acid Battery
Sold as	1 each
Weight	30 lbs.
# per Pallet	12

Composition

Container - Injection Molded Copolymer Polypropylene
Absorbent Mats & Pillows-100% Polypropylene
Acid Neutralizer - Polymer, Sodium Carbonate, Alizarin
Gloves - Neoprene
Apron - Polyethylene Coated Tyvek

Includes

36 - 15" W x 20" L PIG® HazMat Chemical Absorbent Mat Pad (MAT310)
1 - 17" W x 16" L x 2" H PIG® HazMat Chemical Absorbent Pillow (HR7015)
3 - ext. dia. 3" x 46" L PIG® HazMat Chemical Absorbent Sock (124CR)
2 - PIG® Acid Encapsulating/ Neutralizing Loose Absorbent (PLP802)
1 - Apron
1 - Sperian Headgear (GLS204)
1 - 15" W x 8.5" H Sperian Faceshield Window (GLS204-0001)
1 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-L)
10 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S)
6 - 2" W x 6" L Tamperproof Seal Label (LBL100)
1 - Instructions
1 - ext. dia. 23" x 19" H PIG® Overpack Salvage Drum (PAK708-WH)

UNSPSC	47131905
UV Resistant	No

Pigalog® Page Number [Page 129](#)

Metric Equivalent

Absorbency	Up to 47.3 L
Dimensions	ext. dia. 58.4cm x 48.3cm H
Weight	13.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/X46/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to: AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, TR, UK.

Certifications, Approvals and Ratings

UN1H2/X46/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to: AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, TR, UK.

Technical Documents

[PIG Spill Kits](#)

[LDPE Products](#)

[White paper – Spills Happen. 10 Things you need to know about Spill Kits](#)

[Guidelines for PIG Acid Encapsulating and Neutralizing Absorbents](#)

[Instructions for Overpack Containers](#)

[Instructions for PIG Spill Kits](#)

[PIG® HAZ-MAT Absorbents](#)

[PIG® Acid Encapsulating / Neutralizing Absorbents](#)

[29 CFR 1910.120\(j\)\(1\)\(vii\)](#)

[29 CFR 1910.178\(g\)\(2\)](#)

[49 CFR 173.3\(c\)\(1\)](#)

Disclaimers

[HAZ-MAT Notice](#)

To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG® HAZ-MAT products prior to purchase. If you have any questions or need samples to test, please call Technical Services.

[Hydrofluoric Acid Notice](#)

Do not use with hydrofluoric acid.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com