

PIG™ Build-A-Berm® Barrier Kit

PLR222 Ideal For Long-Term Custom Containment, 5.5" x 50' x 2"

Build a semi-permanent barrier around your machinery or storage areas with our crush-resistant spill berms.



- Barriers can be constructed into a semi-permanent, high-visibility barrier that's exactly the size and shape you need - indoors or out
- Pliable open-cell foam barrier springs back into shape after you walk or roll over it with light, wheeled equipment
- Durable, 18-oz. all-vinyl covering resists oils, coolants and most chemicals
- Cut to length with utility knife; for best sealing results, secure to a smooth, sealed surface with Sili-Thane sealant (PTY340); join seams with Industrial-Strength Vinyl Cement (PTY105) (Sold separately)
- Contain leaks and spills around your machinery without building expensive concrete curbs or cutting and installing angle iron
- High-visibility yellow color draws attention to barrier for increased safety
- Easy removal requires only a flat-bladed shovel
- Great for use around battery charging stations, machinery or any other leak-prone areas
- Kit includes straight sections, corners and Sili-Thane sealant; create any length, shape or configuration to suit your application or environment



Specifications

Traffic	Foot Traffic
Color	Yellow
Dimensions	5.5" W x 50' L x 2" H
Ideal For	Long-Term Custom Containment
Install/Deploy Type	Glued In Place Barrier
Max liquid temp exposure	Max Exposure Limit 225°F for up to 30 Minutes
Storage Temp Range	Store Between 0°F and 120°F
Temperature Limit	Works from -22°F to 160°F

Sold as	1 each
Weight	21 lbs.
New Pig Patent	5,820,297
# per Pallet	5
Composition	Cover - 18 oz. Vinyl-Coated Fabric Core - Polyurethane Foam Sealant - Sili-Thane™ 803 Sealant
Includes	2 - 5.5" W x 25' L x 2" H PIG® BUILD-A-BERM® Barriers 6 - 10.3 fl. oz Sili-Thane™ 803 Sealant Tubes (PTY340) 4 - 5.5"W x 7.25"L x 2"H PIG® BUILD-A-BERM® Corners (PLR265)
Shelf Life	1 year
UNSPSC	24101907
Pigalog® Page Number	<u>Page 169</u>

Metric Equivalent

Dimensions	14cm W x 15m L x 5.1cm H
Weight	9.5 kg

Technical Information

CountryShipOnly

This product can ONLY be shipped to: United States, Chile, Kuwait, Qatar, Singapore, South Korea.

Technical Documents

[PIG Build-A-Berm® Barrier](#)

[Sili-Thane™ 803 Sealant](#)

[Instructions for Using PIG® Build-A-Berm® Barrier](#)

[White paper – Should I be Worried about SPCC? 8 Things you need to know.](#)

[Sili-Thane™ 803 Sealant \(White\)](#)

[SIlithane 803 Gray](#)

[Silithane 803 Black Sealant](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[40 CFR 264.175](#)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

