

## PIG® Corrosives Safety Cabinet

CAB752 Manual-Close Door Style, Holds 30 gal.,  
43.312" x 18.5" x 44.125"

Handle your corrosives with care - secure them in a PIG Safety Cabinet with class-leading features and our Lifetime Warranty.



- Buy it once, use it forever with our Lifetime Warranty - if you're not satisfied, we'll replace the cabinet or offer you a full refund
- Polyethylene liners for shelves and sill resist acids, bases and pesticides
- Ribbed liner design helps keep containers out of contact with accumulated liquids
- FM Approved for the storage of flammables; also meets NFPA and OSHA specifications
- Fully MIG-welded 14- and 18-gauge steel construction is built for a lifetime of continuous use
- 14-gauge steel door faces are 56% thicker than competing cabinets
- Three-point, zinc latch ensures fail-safe, non-sparking door closure
- Recessed handle won't catch on passing traffic
- 4" bullet hinges feature self-lubricating, fully enclosed brass pins; won't trap the grime that causes premature hinge failure
- True double-wall construction with 1.5" of insulating air space provides excellent fire protection
- 2" leakproof sump contains leaks, drips and spills
- Flame arrestor vents help prevent flashback ignition
- Full-width, welded shelf hangers offer maximum support and increase sidewall thickness
- Shelf provides 350 lb. UDL weight capacity when evenly loaded
- Grounding connection inhibits static buildup
- Hybrid powder-coat finish resists chemicals and corrosion



Item#	Description	Dimensions	Weight
CAB752-BL	Blue,	43.312" W x 18.5" D x 44.125" H	310 lbs.

## Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB752-BL	Blue,	110cm W x 47cm D x 112.1cm H	140.6 kg

## Specifications

Capacity	30 gal.
Shelves	1 - Adjustable Shelf
Special Feature	2 Tray Liners Included
Use With	Corrosive Chemicals
Dimensions	43.312" W x 18.5" D x 44.125" H
Brand	PIG
Interior Dimensions	39.9375" W x 14.9375" D x 38.75" H
Locking Mechanism	Keyed (2 Included)
Use With Flammables	No
Sold as	1 each
Weight	310 lbs.
Composition	Cabinet - Steel Shelf - Galvanized Steel Tray Liner - Polyethylene
Door Style	Manual-Close
UNSPSC	24112402
Pigalog® Page Number	<a href="#">Page 358</a>

## Metric Equivalent

Dimensions	110cm W x 47cm D x 112.1cm H
Weight	140.6 kg

## Technical Information

### Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

### CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

### StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

### Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

### CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

## StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

## Technical Documents

Instructions for PIG Flammable Safety Cabinet

29 CFR 1910.106(d)(3)

## Disclaimers

Intended for indoor use only.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)