

## PIG® Fuel Station Spill Kit in Bucket

KIT4000 Absorbs up to 8.2 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/Y40/S

Store this bucket kit at a fuel island and use the static-dissipative PIG Absorbents to safely clean up small-to-medium sized fuel spills.



- The only kits designed for fueling stations — tough, grime-hiding containers packed with absorbents specifically made for gasoline, diesel, jet fuel and kerosene
- Packed with absorbent, static-dissipative mats and socks that pass NFPA99 standards for static decay and surface resistivity
- Also contains PIG Loose Absorbent, PPE, caution tape and clean-up tools
- Absorbs and retains fuels and oil-based fluids without taking in a drop of water
- 12-gallon polyethylene bucket has easy-open, screw-on lid and is weatherproof and UV resistant
- Bucket is UN Rated 1H2/Y40/S for shipping waste after cleanup
- Opaque black bucket has reflective labeling for easy visibility at night, blends into most surroundings and hides grime from fueling operations
- Ideal for use anywhere there are fueling operations: marinas, garages, commercial facilities, military sites, airports, tanker terminals, construction sites, industrial facilities and remote operations
- Only PIG Spill Kits feature PIG Absorbents — the world's #1 selling brand
- For information on custom spill kits, call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



## Specifications

Wheels Included	No
Container Type	Bucket
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	Black
Dimensions	ext. dia. 16" x 21.125" H

<b>Absorbency</b>	Up to 8.2 gal.
<b>High Visibility</b>	No
<b>See-Through</b>	No
<b>Sold as</b>	1 each
<b>Weight</b>	30 lbs.
<b># per Pallet</b>	18

**Composition** Mats and Socks - Polypropylene  
Loose Absorbent-100% Post-Consumer Recycled Cellulose  
Bucket-Polyethylene

<b>Includes</b>	<ul style="list-style-type: none"> <li>4 - ext. dia. 3" x 48" L PIG® Static-Dissipative Absorbent Sock (SKM700)</li> <li>25 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT215)</li> <li>4 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220)</li> <li>1 - Economy Goggle (GLS290-AF)</li> <li>1 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-XL)</li> <li>1 - Apron</li> <li>1 - Dustpan/Broom</li> <li>5 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S)</li> <li>1 - Caution Tape</li> <li>1 - Instructions</li> </ul>
-----------------	---

<b>UNSPSC</b>	47131905
<b>UV Resistant</b>	Yes
<b>Pigalog® Page Number</b>	<u><a href="#">Page 119</a></u>

## Metric Equivalent

<b>Absorbency</b>	Up to 31 L
<b>Dimensions</b>	ext. dia. 40.6cm x 53.7cm H
<b>Weight</b>	13.6 kg

## Technical Information

### Certifications, Approvals and Ratings

UN1H2/Y40/S

#### CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

### Certifications, Approvals and Ratings

UN1H2/Y40/S

#### CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

## Technical Documents

### PIG Spill Kits

[Instructions for PIG Fuel Station Kit in Bucket](#)

Instructions for PIG Spill Kits

PIG® Oil-Only Absorbents

PIG® DRI Loose Absorbent

40 CFR 112.7

40 CFR 122.26



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)