

PIG® Fuel Station Spill Kit in Cart

KIT4001 Absorbs up to 13.8 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only

Packed with PIG Absorbents and designed specifically for safe response to outdoor fuel spills, this mobile kit can be stored at your fuel island and wheeled quickly to clean up a spill.

- The only kits designed for fueling stations — tough, grime-hiding containers packed with absorbents specifically made for gasoline, diesel, jet fuel and kerosene
- Packed with absorbent, static-dissipative mats and socks that pass NFPA99 standards for static decay and surface resistivity
- Also contains PIG Loose Absorbent, PPE, caution tape and clean-up tools
- Absorbs and retains fuels and oil-based fluids without taking in a drop of water
- Suitable for outdoor storage, the cart is UV- and weather-resistant, with a locking latch and sloped, gasketed lid to channel away liquid
- Two sturdy rubber wheels let you easily push the cart to the site of a spill
- Ergonomic design features outside handles to push and an inside handle to pull the cart
- Opaque black container has reflective labeling for easy visibility at night, blends into most surroundings and hides grime from fueling operations
- Ideal for use anywhere there are fueling operations: marinas, garages, commercial facilities, military sites, airports, tanker terminals, construction sites, industrial facilities and remote operations
- Only PIG Spill Kits feature PIG Absorbents — the world's #1 selling brand
- For information on custom spill kits, call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	Yes
Container Type	Cart
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	Black
Dimensions	17" W x 22.375" L x 42.25" H
Absorbency	Up to 13.8 gal.

High Visibility	No
See-Through	No
Sold as	1 each
Weight	57 lbs.
# per Pallet	5

Composition	Mats and Socks - Polypropylene Loose Absorbent-100% Post-Consumer Recycled Cellulose Cart-Polyethylene
--------------------	--

Includes	<ul style="list-style-type: none"> 4 - ext. dia. 3" x 48" L PIG® Static-Dissipative Absorbent Sock (SKM700) 70 - 15" W x 20" L PIG® Stat-Mat® Absorbent Pad (MAT215) 6 - PIG® Dri Loose Absorbent in Spill Pouch (PLP220) 1 - Economy Goggle (GLS290-AF) 1 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-XL) 1 - Apron 1 - Dustpan/Broom 10 - 18" W x 30" H Polyethylene Disposal Bags (BAG201-S) 1 - Caution Tape 1 - Instructions 1 - 12 Gal Bucket
-----------------	---

UNSPSC	47131905
UV Resistant	Yes
Wheels	(2) 8" Rubber Wheels
Pigalog® Page Number	Page 117

Metric Equivalent

Absorbency	Up to 52.2 L
Dimensions	43.2cm W x 56.8cm L x 107.3cm H
Weight	25.9 kg

Technical Information

CountryNoShip	
----------------------	--

This product is subject to export restrictions and cannot be shipped to the European Union.

Technical Documents

PIG Spill Kits

[Instructions for PIG Spill Kits](#)

[PIG® Oil-Only Absorbents](#)

[PIG® DRI Loose Absorbent](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

