

PIG® Gray Ham-O® Absorbent Mat Pad in Dispenser Box

MAT142 Heavyweight, 16" x 20", 100 pads

Distinctive Ham-O top conceals absorbed leaks and drips. Scuff-resistant top layer stands up to foot traffic in aisles and walkways.



- Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere; that's why more plants worldwide use PIG Mat than any other brand
- Absorbed leaks and drips blend right in; Exclusive "hamouflage" top layer saves on product and disposal costs; absorbed grime is invisible, so you'll leave mat in place longer and save money!
- Fast-wicking dimple pattern transfers liquids from the top layer into the absorbent inner layers; spills disappear in seconds
- Tough, scuff-resistant, spunbond top layer stands up to heavy foot traffic; won't rip, tear, fray or create a trip hazard, even when saturated
- Under the Ham-O top layer is the proven eight-layer, 100% polypropylene construction of PIG Mat, the strongest mat on the market!
- Absorbs most common industrial liquids - oils, water, solvents, coolants and more
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Dispenser box makes it easy to take, carry and store your mat while protecting it from dirt and moisture
- Rolls are ideal for walkways and large areas to soak up leaks and overspray
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction delivers greater durability and absorbency for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

| | |
|------------------------------------|---|
| Traffic | Not Recommended for Foot Traffic |
| Static-Dissipative | No |
| Indoor/Outdoor | Indoor Use |
| Floating | No |
| Perforated Pattern | 8" x 20" sections |
| Reusable | No |
| Wringable | Yes |
| Incinerable | Yes |
| Flammability Specifications | Flame Resistant - Will melt and self-extinguish |
| Fluid Absorbed | Oils, Coolants, Solvents, Water – Universal |
| Special Feature | Camouflage Pattern |
| Color | Gray Ham-O |
| Dimensions | 16" W x 20" L |
| Mat Weight | Heavyweight |
| Recycled Content | 25% or more Recycled Content |
| Absorbency | Up to 26.1 gal. per box |
| Absorbency per | Up to 33.4 oz. per pad |
| Brand | PIG |
| Category | Ham-O® Absorbent Mat |
| Perforated | Yes |
| Sold as | 100 pads per box |
| Weight | 20 lbs. |
| # per Pallet | 30 |
| Composition | Polypropylene |
| UNSPSC | 47131901 |
| UV Resistant | No |
| Pigalog® Page Number | Page 27 |

Metric Equivalent

| | |
|-----------------------|------------------------|
| Absorbency per | Up to 987.6 mL per pad |
| Absorbency | Up to 98.8 L per box |
| Dimensions | 40.6cm W x 50.8cm L |
| Weight | 9.1 kg |

Technical Information

Technical Documents

[PIG Universal Absorbent Mats](#)

[PIG® Universal Absorbents](#)

Disclaimers

HAM-O® Mat Notice

Not recommended for absorbing solvents or corrosive liquids that may affect the printed pattern.

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids.

For further assistance, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com