

PIG® HazMat Spill Kit in 95-Gallon Wheeled Overpack Salvage Drum

KIT341 Absorbs up to 63 gal., Absorbs Acids;
Bases; Unknowns, UN1H2/X113/S

Wheeled mobile overpack is strong enough to earn a UN rating for shipping chemical spill cleanup waste.



- Comply with Spill Plan regs, avoid fines and be ready to respond with the #1 kit for chemical spills
- Overpack drum container is UN Rated for shipping waste after spill cleanup
- 6" olefin wheels make spill kit highly mobile for speedy response anywhere in your facility
- Lift-out, prepacked baskets speed access and guard contents from UV
- PIG HazMat Socks and Dikes stop spreading spills; PIG HazMat Pads and Pillows absorb quickly
- PIG HazMat Absorbents are specially treated for unsurpassed performance with concentrated corrosives, such as 98% sulfuric acid and 30% sodium hydroxide
- Overpack is X-rated in Packing Groups I, II and III for shipping spill cleanup waste by land, sea or rail
- Lightweight, polyethylene container resists chemicals and keeps contents clean and dry
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Bold "Spill Kit" lettering for quick identification
- Ledges molded into container make kit easy to move by forklift
- Tamperproof seals help prevent pilfering of spill response supplies
- Note: A PIG Overpack Protection Cover (available separately) is suggested for outdoor storage to protect container from UV degradation and weathering
- Only PIG Spill Kits feature PIG HazMat Absorbents that handle highly concentrated corrosives better than any other absorbent on the market
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate

Item#	Description	Dimensions	Weight
KIT341-WH	White,	ext. dia. 31.4" x 47.25" H	118 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
KIT341-WH	White,	ext. dia. 79.8cm x 120cm H	53.5 kg

Specifications

Wheels Included	Yes
Container Type	Overpack
Fluid Absorbed	Acids; Bases; Unknowns
Dimensions	ext. dia. 31.4" x 47.25" H
Absorbency	Up to 63 gal.
Brand	PIG
High Visibility	No
See-Through	No
Sold as	1 each
Weight	118 lbs.
# per Pallet	1

Composition	Container - Polyethylene (MDPE) Mats, Socks & Pillows - Polypropylene
Includes	12 - ext. dia. 3" x 46" L PIG® HazMat Chemical Absorbent Sock (124CR) 6 - ext. dia. 3" x 10' L PIG® HazMat Chemical Absorbent Sock (PIG301) 75 - 15" W x 20" L PIG® HazMat Chemical Absorbent Mat Pad (MAT301) 7 - 17" W x 16" L x 2" H PIG® HazMat Chemical Absorbent Pillow (HR7015) 2 - ext. dia. 5" x 10' L PIG® HazMat Chemical Absorbent Dike (HA1010) 10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100) 1 - Instructions 1 - ext. dia. 31.4" x 47.5" H PIG® Wheeled Overpack Salvage Drum (PAK710-WH)

UNSPSC	47131905
---------------	----------

UV Resistant	Yes
---------------------	-----

Wheels	(2) 6" Polyolefin Wheels
---------------	--------------------------

Pigalog® Page Number	<u>Page 118</u>
-----------------------------	-----------------

Metric Equivalent

Absorbency Up to 238.5 L

Dimensions ext. dia. 79.8cm x 120cm H

Weight 53.5 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/X113/S

Technical Documents

[PIG Spill Kits](#)

[PIG Hazardous Chemical Absorbents](#)

[LDPE Products](#)

[Instructions for PIG Spill Kits](#)

[PIG® HAZ-MAT Absorbents](#)

[29 CFR 1910.120\(j\)\(1\)\(vii\)](#)

[49 CFR 173.3\(c\)\(1\)](#)

Disclaimers

[HAZ-MAT Notice](#)

To ensure effectiveness and your safety, we recommend that you conduct compatibility and absorption testing of your chemicals with PIG® HAZ-MAT products prior to purchase. If you have any questions or need samples to test, please call Technical Services.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com