

## PIG™ Latching Drum Lid for Draining

DRM1212 For 55 gal. Steel Drums, Draining, Bolt-Ring

The easiest way to drain filters, parts, and containers while staying in compliance with closed container regs.

- Latching design opens and closes with one hand for easy in-and-out drum access; no nuts, no bolts, no fuss!
- Nitrile gasket and locking mechanism seal lid to help reduce vapor emissions and keep drum contents secure
- Add a drum funnel screen (sold separately) for easy draining of waste liquids into open-head drums
- Lid stays closed while filters or containers are draining to help you meet haz waste regulations; lid stays upright when open
- Lockable to prevent unauthorized access
- Durable, chemical-resistant powder coat helps ensure long service life
- Multiple lid color options let you segregate drums



Item#	Description	Dimensions	Weight
DRM1212-YW	Yellow,	ext. dia. 23.75" x 6.75" H	27 lbs.
DRM1212-RD	Red,	ext. dia. 23.75" x 6.75" H	27 lbs.
DRM1212-BK	Black,	ext. dia. 23.75" x 6.75" H	27 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1212-YW	Yellow,	ext. dia. 60.3cm x 17.1cm H	12.2 kg
DRM1212-RD	Red,	ext. dia. 60.3cm x 17.1cm H	12.2 kg
DRM1212-BK	Black,	ext. dia. 60.3cm x 17.1cm H	12.2 kg

### Specifications

Special Feature	Draining
Style	Hinged Lid w/ One-Hand Latch
Use With	55 gal. Steel Drums

<b>Dimensions</b>	ext. dia. 23.75" x 6.75" H
<b>Configuration</b>	Latching & Locking Drum Lids
<b>Drum Mounting</b>	Bolt-Ring
<b>Drum Size</b>	55 gal.
<b>Drainage Space</b>	5.75" H x 18" Dia. Draining Area
<b>Drum Type</b>	Steel Drum
<b>Sold as</b>	1 per box
<b>Weight</b>	27 lbs.
<b>New Pig Patent</b>	5,931,330 ; 5,954,218
<b># per Pallet</b>	20
<b>Composition</b>	Funnel - Powder-Coated Steel Lid Gasket - Nitrile Bung Gasket - PTFE
<b>Padlockable</b>	Padlockable w/ .25" Shackle
<b>UNSPSC</b>	27112902
<b>Pigalog® Page Number</b>	<u>Page 304</u>

## Metric Equivalent

<b>Dimensions</b>	ext. dia. 60.3cm x 17.1cm H
<b>Weight</b>	12.2 kg

## Technical Information

### Technical Documents

- 29 CFR 1910.106(e)(2)(i)
- 29 CFR 1910.22(a)
- 40 CFR 261.4
- 40 CFR 262.15
- 40 CFR 262.16(b)(2)(iii)
- 40 CFR 262.17(a)(1)(iv)
- 40 CFR 264.1086(c)(1)(ii)
- 40 CFR 63.744(a)(1)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com

