

## PIG™ Latching Drum Lid

DRM659 For 55 gal. Steel Drums, Bolt-Ring

Keep your drums and hazardous waste storage containers securely closed and locked to comply with regs! Our latching lid opens and closes with one hand - without the nut and bolt ring hassles.

- Latching design opens and closes with one hand for easy in-and-out drum access - keep drums covered and avoid haz waste fines
- Nitrile gasket and locking mechanism seal lid to help reduce vapor emissions and keep drum contents dry and secure
- Easy-access lid closes securely to help you meet hazardous waste regs
- Hinge stops keep lid upright when open
- Durable, chemical-resistant powder coat helps ensure long service life
- Lockable latch helps prevent unauthorized access
- Hinge pin is made for easy lid removal without loosening band around drum
- Multiple lid color options allow you to segregate drums for safe, compliant filling



Item#	Description	Dimensions	Weight
DRM659-YW	Yellow,	23.25" W x 26.75" L x 4.375" H	22 lbs.
DRM659-RD	Red,	23.25" W x 26.75" L x 4.375" H	22 lbs.
DRM659-BK	Black,	23.25" W x 26.75" L x 4.375" H	22 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM659-YW	Yellow,	59.1cm W x 67.9cm L x 11.1cm H	10 kg
DRM659-RD	Red,	59.1cm W x 67.9cm L x 11.1cm H	10 kg
DRM659-BK	Black,	59.1cm W x 67.9cm L x 11.1cm H	10 kg

## Specifications

<b>Style</b>	Hinged Lid w/ One-Hand Latch
<b>Use With</b>	55 gal. Steel Drums
<b>Dimensions</b>	23.25" W x 26.75" L x 4.375" H
<b>Configuration</b>	Latching & Locking Drum Lids
<b>Drum Mounting</b>	Bolt-Ring
<b>Drum Size</b>	55 gal.
<b>Drum Type</b>	Steel Drum
<b>Sold as</b>	1 per box
<b>Weight</b>	22 lbs.
<b>NSN (National Stock Number)</b>	DRM659-BK-8110-01-595-7391
<b># per Pallet</b>	23
<b>Composition</b>	Lid - Powder-Coated Steel Gasket - Nitrile
<b>Padlockable</b>	Padlockable w/ .25" Shackle
<b>UNSPSC</b>	24112112
<b>Pigalog® Page Number</b>	<a href="#">Page 297</a>

## Metric Equivalent

<b>Dimensions</b>	59.1cm W x 67.9cm L x 11.1cm H
<b>Weight</b>	10 kg

## Technical Information

### Technical Documents

[Nitrile gasket for PIG® Drum lids and funnels](#)

[PIG Latching Drum Lid \(Steel\) Instructions](#)

[29 CFR 1910.106\(e\)\(2\)\(i\)](#)

[29 CFR 1910.22\(a\)](#)

[40 CFR 261.4](#)

[40 CFR 262.15](#)

[40 CFR 262.16\(b\)\(2\)\(iii\)](#)

[40 CFR 262.17\(a\)\(1\)\(iv\)](#)

[40 CFR 264.1086\(c\)\(1\)\(ii\)](#)



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

