

PIG™ Latching Lid for Poly Drum

DRM1084 For 55 gal. Plastic Drums, Fast Latch

Get fast, easy access to drums and meet closed container regs with the only locking latching lid designed for poly drums.

- The first latching lid designed for open-head poly drums
- 3" EVA gasket and locking mechanism seal lid to help keep drum contents dry and pure
- Two sets of interchangeable spacers help this lid fit the five most common poly drums
- Latching handle easily opens and closes with one hand
- Crowned lid provides a cleaner appearance
- Durable, chemical-resistant powder coat helps ensure long service life
- Lockable latch helps prevent unauthorized access
- Hinge pin is made for easy lid removal without loosening band around drum
- Multiple lid color options let you segregate drums for safe, compliant filling



Item#	Description	Dimensions	Weight
DRM1084-YW	Yellow,	26.75" W x 23.25" L x 4.375" H	24 lbs.
DRM1084-RD	Red,	26.75" W x 23.25" L x 4.375" H	24 lbs.
DRM1084-BK	Black,	26.75" W x 23.25" L x 4.375" H	24 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
DRM1084-YW	Yellow,	67.9cm W x 59.1cm L x 11.1cm H	10.9 kg
DRM1084-RD	Red,	67.9cm W x 59.1cm L x 11.1cm H	10.9 kg
DRM1084-BK	Black,	67.9cm W x 59.1cm L x 11.1cm H	10.9 kg

Specifications

Style	Hinged Lid w/ One-Hand Latch
-------	------------------------------

Use With	55 gal. Plastic Drums
Dimensions	26.75" W x 23.25" L x 4.375" H
Drum Mounting	Fast Latch
Drum Size	55 gal.
Drum Type	Poly Drum
Sold as	1 per box
Weight	24 lbs.
# per Pallet	13
Composition	Lid - Steel Gasket - Ethylene-Vinyl Acetate
Includes	1 - Latching Drum Lid 5 - Small Spacers 5 - Large Spacers
Padlockable	Padlockable w/ .25" Shackle
UNSPSC	24112112
Pigalog® Page Number	Page 301

Metric Equivalent

Dimensions	67.9cm W x 59.1cm L x 11.1cm H
Weight	10.9 kg

Technical Information

Technical Documents

Drum Lid EVA Gasket

Instructions for PIG Latching Drum Lid for 55-Gallon Poly Drum

29 CFR 1910.106(e)(2)(i)

29 CFR 1910.22(a)

40 CFR 261.4

40 CFR 262.15

40 CFR 262.16(b)(2)(iii)

40 CFR 262.17(a)(1)(iv)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

