

PIG® Oil-Only UV-Resistant Absorbent Mat Pad

MAT4105 Heavyweight, 16" x 20", 100 pads

Withstands direct sun for up to a year without disintegrating. Absorbs oils and fuels, NOT water.

- Tough spunbond top layer won't rip, tear or fray and is UV resistant up to 12 months; provides long-term outdoor use without degradation
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue
- Absorbs oil and fuels, NOT water
- Bright-white color tells you it's only for oils and fuels and makes absorbed oil easier to see; draws attention to machine leaks and clearly shows saturation level during spill response
- Floats to clean up spills on water
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Under the UV-resistant top layer is the proven eight-layer, 100% polypropylene construction of PIG Mat, the strongest mat on the market!
- Heavy-weight construction is highly durable and absorbent for demanding tasks and large-volume cleanups
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents



Specifications

Traffic	Not Recommended for Foot Traffic
Static-Dissipative	No
Indoor/Outdoor	Indoor Use; Long-Term Outdoor Use
Floating	Yes
Perforated Pattern	8" x 20" sections
Reusable	No
UV Resistance Time	Up to 12 months
Wringable	Yes

Incinerable	Yes
Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	White
Dimensions	16" W x 20" L
Mat Weight	Heavyweight
Absorbency	Up to 22 gal. per bag
Absorbency per	Up to 28.16 oz. per pad
Brand	PIG
Category	Oil-Only UV-Resistant Absorbent Mat
Perforated	Yes
Sold as	100 pads per bag
Weight	19 lbs.
# per Pallet	30
Composition	Polypropylene
UNSPSC	47131901
UV Resistant	Yes
Pigalog® Page Number	Page 58

Metric Equivalent

Absorbency per	Up to 832.7 mL per pad
Absorbency	Up to 83.3 L per bag
Dimensions	40.6cm W x 50.8cm L
Weight	8.6 kg

Technical Information

Technical Documents

[UV-Resistance Comparison Testing of Spunbond and Meltblown](#)

[PIG® Oil-Only Absorbents](#)

[29 CFR 1910.22\(a\)\(2\)](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

Disclaimers

Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.

