

## PIG® Roll Top Hardcover Spill Pallet

PAK601 Holds (2) 55 gal. Plastic or Steel Drums, 67.5" x 41.25" x 74", 66 gal. Sump Capacity

Load your drums into our roomy roll top hard covers for all-weather protection and liquid containment. You don't even have to remove pumps and funnels!

- Roll top slides up for easy access to drum tops while the rest of the unit stays closed; store drums with pumps or funnels in place
- Low-profile pallet with sump catches leaks, drips and spills while keeping drum tops and accessories within reach
- Weather-resistant design prevents contaminants from entering stormwater
- Heavy-duty construction allows hardcover and pallet to be lifted by a forklift with drums in place
- Low-density polyethylene (LDPE) with UV inhibitors resists UV rays, rust, corrosion and most chemicals for long, trouble-free life
- Ergonomically designed roll top only goes down to waist height to eliminate bending and reaching
- Doors and roll top can be secured with a padlock (sold separately)
- Durable swing-out doors on front for easy loading and unloading
- Optional .75" drain plug lets you empty sump without removing drums or grating



Item#	Description	Dimensions	Weight
PAK601-KWO	Knocked Down - Without Drain	67.5" W x 41.25" D x 74" H	345 lbs.
PAK601-KWD	Knocked Down - With Drain	67.5" W x 41.25" D x 74" H	345 lbs.
PAK601-AWO	Assembled - Without Drain	67.5" W x 41.25" D x 74" H	345 lbs.
PAK601-AWD	Assembled - With Drain	67.5" W x 41.25" D x 74" H	345 lbs.

### Metric Equivalent:

Item#	Description	Dimensions	Weight
PAK601-KWO	Knocked Down - Without Drain	171.5cm W x 104.8cm D x 188cm H	156.5 kg
PAK601-KWD	Knocked Down - With Drain	171.5cm W x 104.8cm D x 188cm H	156.5 kg

		188cm H	
PAK601-AWO	Assembled - Without Drain	171.5cm W x 104.8cm D x 188cm H	156.5 kg
PAK601-AWD	Assembled - With Drain	171.5cm W x 104.8cm D x 188cm H	156.5 kg

## Specifications

<b>Headroom</b>	24.75"
<b>Holds</b>	(2) 55 gal. Plastic or Steel Drums
<b>Color</b>	Black/Gray
<b>Dimensions</b>	67.5" W x 41.25" D x 74" H
<b>Recycled Content</b>	13% Post-Industrial Recycled Polyethylene
<b>Load Capacity UDL</b>	4500 lbs.
<b>Sump Capacity</b>	66 gal.
<b>Access</b>	2 Hinged Doors, 1 Sliding Door
<b>Drain</b>	Optional .75" Drain
<b>Fork Truck Access</b>	Two-Way Fork Truck Access
<b>Interior Dimensions</b>	57" W x 33" D x 60" H
<b>Use With Flammables</b>	No
<b>Sold as</b>	1 each
<b>Weight</b>	345 lbs.
<b># per Pallet</b>	1
<b>Composition</b>	Pallet, Cover - Polyethylene (LDPE) with UV Inhibitor Grate - Polyethylene
<b>UNSPSC</b>	24101905
<b>Pigalog® Page Number</b>	<u><a href="#">Page 379</a></u>

## Metric Equivalent

<b>Dimensions</b>	171.5cm W x 104.8cm D x 188cm H
<b>Load Capacity UDL</b>	2041.2 kg
<b>Sump Capacity</b>	249.8 L
<b>Weight</b>	156.5 kg

## Technical Information

### Technical Documents

#### LDPE Products

[White paper – Should I be Worried about SPCC? 8 Things you need to know.](#)

[Instructions for PIG 2-Drum Roll Top Hardcover Spill Pallet](#)

[40 CFR 112.7](#)

[40 CFR 122.26](#)

## Disclaimers

### Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)