

# PIG® Spring-Open Roof Leak Diverter Kit

TLS753 Roofs, All Inclusive Kit, 34" x 52"

Go from storage bag to fully functioning leak diverter in less than two minutes!

- Coiled diverter springs open for hassle-free installation in under two minutes
- Rigid outer rim holds diverter open for easy handling
- 60"-long straps, hooks and clamps can be adjusted in seconds; just nudge your diverter until it's centered and leveled, even if hanging points are uneven
- All diverter components are preattached for speedy setup; flexible PVC drainage hose (included) clicks into place with preinstalled quick-connect adapter
- Hangs easily in problem spots to catch nuisance leaks and channel them to a floor drain or collection container
- Brass grommets resist tearing and make installation easy
- Nonpermeable tarp is vinyl coated for strength and durability; resists punctures, UV and mildew for long life
- Conical shape helps funnel liquid toward center for better drainage; translucent color helps monitor debris and liquid flow
- Flow rate of 3.33 gallons per minute when used with supplied 1/2" ID hose
- Ready to use right out of the convenient storage bag



Item#	Description	Dimensions	Weight
TLS753-CL	Clear,	34" W x 52" L	5.33 lbs.

## Metric Equivalent:

Item#	Description	Dimensions	Weight
TLS753-CL	Clear,	86.4cm W x 132.1cm L	2.4 kg

## Specifications

Style	All Inclusive Kit
Dimensions	34" W x 52" L

<b>Drainage Hose Included</b>	Yes
<b>Hanging Straps Included</b>	Yes
<b>Hose Connector</b>	.75" w/ Quick Connect
<b>Installation Method</b>	Hanging Straps
<b>Shape</b>	Oval
<b>Sold as</b>	1 each
<b>Weight</b>	5.33 lbs.
<b>New Pig Patent</b>	Patent Pending
<b># per Pallet</b>	72
<b>Composition</b>	Diverter - PVC, Polyester Hose - PVC Hooks - Plastic
<b>Application</b>	Roofs
<b>Flow Rate</b>	3.33 gal./Minute
<b>Includes</b>	1 - 34" Dia. Leak Diverter 1 - Quick Connect (TLS645) 1 - 25' L Clear Drainage Hose (TLS679) 2 - 60" L Adjustable Hanging Straps 4 - Hanging Hooks 1 - Vinyl Storage Bag
<b>UNSPSC</b>	24141506
<b>Pigalog® Page Number</b>	<a href="#">Page 266</a>

## Metric Equivalent

<b>Dimensions</b>	86.4cm W x 132.1cm L
<b>Weight</b>	2.4 kg

## Technical Information

### Technical Documents

[Spring-Open Leak Diverter FAQ](#)

[Instructions for Spring-Open Leak Diverter](#)

### Disclaimers

[Maximum Working Temperature](#)

Not suitable for temperatures over 170°F/77°C.



**One Pork Avenue • Tipton, PA 16684-0304**

1-855-493-4647 • Fax: 1-800-621-7447 • [newpig.com](http://newpig.com) • [hothogs@newpig.com](mailto:hothogs@newpig.com)

