

PIG® UV-Resistant Oil-Only Spill Kit in 95-Gallon Overpack Salvage Drum

KIT416 Absorbs up to 40 gal., Absorbs Oils, Fuels, Other Oil-Based Liquids Only, UN1H2/Y345/S

Made for outdoor sites - the UN Rated container and spill supplies resist UV for up to 12 months.



- Opaque container protects contents from UV for up to 8,000 hours
- Overpack drum container is UN Rated for shipping waste after spill cleanup
- PIG Oil-Only Booms stop spreading spills; PIG Oil-Only UV-Resistant Mat and Pillows absorb quickly; PIG Oil-Only Lite Dri removes sheen from surfaces
- All absorbents resist UV for up to 1 year (12 hours per day of direct exposure for 12 months) and float to absorb oil on water
- Lift-out, prepacked baskets allow easy access to contents
- Large label makes identification fast and accurate
- Reflective tape on lid adds visibility to container
- Tamperproof seal helps prevent pilfering of spill response supplies
- Temporary disposal bags help make cleanup easier
- Ledges molded into container make kit easy to move by forklift
- Leakproof, twist-on lid is notched for easy removal or tightening with a 2x4 or pole
- Only PIG Spill Kits feature PIG Absorbents proven for rapid response
- For information on custom spill kits, just call 1-800-HOT-HOGS (468-4647)
- Spill Kit dimensions are approximate



Specifications

Wheels Included	No
Container Type	Drum
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	Black
Dimensions	ext. dia. 31.38" x 41.5" H
Absorbency	Up to 40 gal.

High Visibility	No
See-Through	No
Sold as	1 each
Weight	116 lbs.
# per Pallet	2

Composition	Boom, Mat & Pillow - Polypropylene Loose - Recycled Hydrophobic Cellulose Container - Polyethylene (MDPE)
Includes	2 - ext. dia. 8" x 10' L PIG® Oil-Only Absorbent Boom (BOM304) 50 - 16" W x 20" L PIG® Oil-Only UV-Resistant Absorbent Mat Pad (MAT4105) 2 - 16" W x 17" L x 1" H PIG® Skimmer Oil-Only Absorbent Pillow (PIL203) 1 - PIG® Oil-Only Lite-Dri® Loose Absorbent (PLP415) 10 - 36" W x 60" H Polyethylene Disposal Bags (BAG201-L) 2 - Tyvek® Level D Coveralls (WPL718-XL) 12 - 13" L SHOWA Chem Master™ Neoprene Gloves (GLV213-XL) 4 - Disposable PVC Boot Protector (WPL222-XL) 6 - 2" W x 6" L Tamperproof Seal Label (LBL100)

UNSPSC	47131905
UV Resistant	Yes

Pigalog® Page Number [Page 106](#)

Metric Equivalent

Absorbency	Up to 151.4 L
Dimensions	ext. dia. 79.7cm x 105.4cm H
Weight	52.6 kg

Technical Information

Certifications, Approvals and Ratings

UN1H2/Y345/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Certifications, Approvals and Ratings

UN1H2/Y345/S

CountryNoShip

This product is subject to export restrictions and cannot be shipped to the European Union.

Technical Documents

[PIG Spill Kits](#)

[LDPE Products](#)

UV-Resistance Comparison Testing of Spunbond and Meltblown

Instructions for PIG Spill Kits

40 CFR 112.7



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com