

PIG® Vertical Drum Flammable Safety Cabinet with Rollers

CAB746 Manual-Close Door Style, Holds 110 gal.,
59.312" x 34.437" x 65.125"

Durable safety cabinet accommodates vertical drums, even with pumps and funnels in place, for easy dispensing.



- Buy it once, use it forever with our Lifetime Warranty - if you're not satisfied, we'll replace the cabinet or offer you a full refund
- FM Approved for the storage of flammables; also meets NFPA and OSHA specifications
- Fully MIG-welded 14- and 18-gauge steel construction is built for a lifetime of continuous use
- 14-gauge steel door faces are 56% thicker than competing cabinets
- Three-point, zinc latch ensures fail-safe, non-sparking door closure
- Recessed handle won't catch on passing traffic
- 4" bullet hinges feature self-lubricating, fully enclosed brass pins; won't trap the grime that causes premature hinge failure
- True double-wall construction with 1.5" of insulating air space adds fire protection
- 2" leakproof sump contains leaks, drips and spills
- Flame arrestor vents help prevent flashback ignition
- Full-width, welded shelf hangers offer maximum support and increase sidewall thickness
- Shelf provides 350 lb. UDL weight capacity when evenly loaded
- Grounding connection inhibits static buildup
- Rollers in bottom of cabinet make it easier to move drums in and out
- Note: OSHA codes state that no more than 60 gallons may be Category 1, 2, or 3 flammable liquids, and no more than 120 gallons may be Category 4 flammable liquids



Item#	Description	Dimensions	Weight
CAB746-YW	Yellow,	59.312" W x 34.437" D x 65.125" H	714 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
CAB746-YW	Yellow,	150.7cm W x 87.5cm D x 165.4cm H	323.9 kg

Specifications

Headroom	21.5"
Capacity	110 gal.
Shelves	1 - Adjustable Shelf
Special Feature	Drum Rollers Included
Style	Drum Storage
Use With	Flammables
Dimensions	59.312" W x 34.437" D x 65.125" H
Brand	PIG
Interior Dimensions	56" W x 30.88" D x 56.75" H
Locking Mechanism	Keyed (2 Included)
Use With Flammables	Yes
Sold as	1 each
Weight	714 lbs.
Composition	Cabinet - Steel Shelf - Galvanized Steel
Door Style	Manual-Close
UNSPSC	24112402
Pigalog® Page Number	Page 357

Metric Equivalent

Dimensions	150.7cm W x 87.5cm D x 165.4cm H
Weight	323.9 kg

Technical Information

Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

Certifications, Approvals and Ratings

FM Approved,NFPA Code 30

CountryNoShip

This product is subject to export restrictions and cannot be shipped to Australia or New Zealand.

StateNoShip

This product is subject to restrictions and cannot be shipped to: Alaska, California, Hawaii, Idaho, Montana, Nevada, North Carolina, Oregon, Utah, Washington.

Technical Documents

Instructions for PIG Flammable Safety Cabinet

29 CFR 1910.106(d)(3)

Disclaimers

Intended for indoor use only.



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com